

# AWNING FABRICS



100%  
ACRYLIC



Above pictograms apply to acrylic fabrics.

# ACRYLIC FABRICS

<p>Technical data shown below are average values of the current production</p> <p>Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion</p> <p>Les données techniques ci-dessous sont des valeurs moyennes de la production courante</p>	<b>ACRYLIC</b>	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique, 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 300 g/m <sup>2</sup>
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 330 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	2.3 / 4

Acrylic fabrics guarantee the highest quality of the product, providing thermal comfort and protection against UV radiation. Made 100% out of acrylic fibre, dyed in chemical solution, provide excellent protection against colour loss. UV resistance coefficient is 7-8 at 8° scale. Impregnation with use of TEFLON® or SCOTCHGARD™ agents provides an excellent protective barrier and strengthens water-repellent qualities of the fabric, also preventing dirt adhering. Resistance to leaking: 330 mm water column. The advantage of acrylic fabric is also high resistance to tensile and tear.

# WATERPROOF FABRICS



<p>Technical data shown below are average values of the current production</p> <p>Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion</p> <p>Les données techniques ci-dessous sont des valeurs moyennes de la production courante</p>	<b>ACRYLIC WATERPROOF</b>	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 330 g/m <sup>2</sup>
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 1000 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	3 / 4

Waterproof acrylic fabrics are characterized by increased resistance to leaking - about 1000 mm water column. Weave structure together with modern impregnation technology provides high air permeability even on hot days. Oeko-Tex® guarantees that offered acrylic fabrics, subjected to special impregnation for water resistance, are not toxic.

# SOLID

ACRYLIC FABRICS

## BLANCO



2042

UV: 97%

G<sub>TOT</sub>: 18%

## TANDEM BLANCO




8442

UV: 40%

G<sub>TOT</sub>: 18%

## NATURAL




2929

UV: 97%

G<sub>TOT</sub>: 18%

## MARFIL




2143

UV: 97%

G<sub>TOT</sub>: 16%

## SIROCO




2226

UV: 98%

G<sub>TOT</sub>: 12%

## VANILLA




2687

UV: 97%

G<sub>TOT</sub>: 17%

## AMBER BEIGE




0814

UV: 99%

G<sub>TOT</sub>: 15.66%

## BEIGE




2038

UV: 99%

G<sub>TOT</sub>: 11%

## INTEGRAL




2838

UV: 99%

GTOT: 8%

## BERNA




2041

UV: 97%

GTOT: 16%

## OLIVE GREEN




0007

UV: 97,5%

GTOT: 2%

## GRAPHITE MELANGE



0107

UV: 97,5%

GTOT: 2%

## ALABASTER




0151

UV: 97,5%

GTOT: 13%

## LAGOON



1063

UV: 98%

GTOT: 8%

## MARMOL




1070

UV: 98%

GTOT: 7%

## RAIN




1073

UV: 99%

GTOT: 16%

## SHELL



1469

UV: 97%

GTOT: 16%

## TITANE PIGUE




6088

UV: 95%

GTOT: 5%

## PLATINUM PIGUE



U407 UV: 95% GТот: 3%

---

## ETAIN LINK



U786 UV: 100% GТот: 1%

---

## CELESTE LINK



U795 UV: 100% GТот: 3%

---


## MAGMA LINK



U808 UV: 95% GТот: 13%

---

## AVENA



2296 UV: 98% GТот: 11%

---

## LIN MELANGE



8904 UV: 95% GТот: 11%

---


## TWEED BROWN



0403 UV: 99% GТот: 6.82%

---


## MINERAL



2831 UV: 99% GТот: 7%

---


## VISION



2250 UV: 99% GТот: 7%

---


## CHAUME PIGUE



U235 UV: 100% GТот: 9%

---

## CAFE




2316

UV: 99%

ГТОТ: 5%

## MARBLE



0923

UV: 99%

ГТОТ: 12.8%

## TWEED LATTE




7926

UV: 98%

ГТОТ: 15%

## SNOWFLAKE




3463

UV: 95%

ГТОТ: 22%

## TWEED ARGENT




0794

UV: 98%

ГТОТ: 19%

## DARK LINEN




6727

UV: 98%

ГТОТ: 18%

## SILVER WHITE



0364

UV: 99%

ГТОТ: 7.67%

## SILVER MELANGE




0028

UV: 99%

ГТОТ: 7.36%

## TANDEM PIEDRA




8445

UV: 80%

ГТОТ: 7%

## IRON




0937

UV: 99%

ГТОТ: 6.57%


## TWEED ROCK



7151 UV: 98% ГТОТ: 11%

---


## SILVER



2821 UV: 97% ГТОТ: 13%

---


## SILVER GREY



U190 UV: 90% ГТОТ: 15%

---


## ZIP GREY



1597 UV: 98% ГТОТ: 13%

---


## PIETRA BEIGE



9415 UV: 98% ГТОТ: 8%

---


## PERLA



2979 UV: 97% ГТОТ: 8%

---


## ASH



0638 UV: 99% ГТОТ: 5.05%

---


## ANTRACITA



8488 UV: 99% ГТОТ: 6%

---

## TANDEM GRAFITO



8446 UV: 80% ГТОТ: 6%

---


## EBONY TWEED



7324 UV: 98% ГТОТ: 10%

---

## NEGRO



2170

UV: 99%

ГТОТ: 5%

## GRAPHITE ZIP



1524

UV: 98%

ГТОТ: 12%

## BASALT




8203

UV: 100%

ГТОТ: 5%

## FLANELLE




U104

UV: 100%

ГТОТ: 5%

## CHARCOAL TWEED



0402

UV: 99%

ГТОТ: 5%

## STITCH ANDESITE




0512

UV: 98%

ГТОТ: 8%

## STITCH CALCITE




0505

UV: 98%

ГТОТ: 9%

## STITCH RUBY




0507

UV: 98%

ГТОТ: 9%

## WHITE LINEN




8615

UV: 95%

ГТОТ: 18%

## PLATINUM



0715

UV: 90%

ГТОТ: 12%

## BREEZE



2777

UV: 99%

ГТот: 6%

## MARINE




2145

UV: 99%

ГТот: 5%

## AZUL




2018

UV: 99%

ГТот: 7%

## ORANGE




2050

UV: 99%

ГТот: 13%

## BRIGHT RED




2211

UV: 99%

ГТот: 10%

## RIOJA




2210

UV: 99%

ГТот: 8%

## CARMIN PIGUE




U411

UV: 100%

ГТот: 10%

## GRANATE




2101

UV: 99%

ГТот: 6%

## CURRY




U105

UV: 100%

ГТот: 12%

## AMARILLO




2013

UV: 99%

ГТот: 15%

## OCRE




2180

UV: 99%

ГТОТ: 13%

---

## JADE




0396

UV: 99%

ГТОТ: 8.12%

---

## VERDE BOTELLA



2245

UV: 99%


ГТОТ: 6%

---

# WATERPROOF


ACRYLIC FABRICS

## BLANCO




8268 UV: 97% G<sub>TOT</sub>: 18%

## MARFIL




8272 UV: 97% G<sub>TOT</sub>: 16%

## AMARILLO




8265 UV: 99% G<sub>TOT</sub>: 15%

## COCO




2047 UV: 99% G<sub>TOT</sub>: 9%

## GRIS



8271 UV: 99% G<sub>TOT</sub>: 7%

## ANTRACITA




2796 UV: 99% G<sub>TOT</sub>: 6%

## TWEED NEGRO




2085 UV: 99% G<sub>TOT</sub>: 6%

## NEGRO



8275 UV: 99% G<sub>TOT</sub>: 5%

## TOAST WATERPROF



1470

UV: 98%

G<sub>TOT</sub>: 12%

## TWEED GRIS WATERPROF



3581

UV: 99%

G<sub>TOT</sub>: 7%

# ECO WEAVE

ACRYLIC FABRICS

## MALENCO




3802

UV: 96%

G<sub>TOT</sub>: 4%

## RITTEN




3702

UV: 96%

G<sub>TOT</sub>: 6%

## SECEDA



3401

UV: 96%

G<sub>TOT</sub>: 7%

## MARMOLADA



3101


UV: 96%

G<sub>TOT</sub>: 10%

# LANDSCAPE

ACRYLIC FABRICS

## GOBI



4658 UV: 99% G<sub>TOT</sub>: 11.32% RAPPOR: 24 cm

---


## BEACH



4662 UV: 99% G<sub>TOT</sub>: 16.37% RAPPOR: 24 cm

---


## SAHARA DUST



4639 UV: 99% G<sub>TOT</sub>: 10.18% RAPPOR: 24 cm

---

## CLIFFS



4643 UV: 99% G<sub>TOT</sub>: 6.78% RAPPOR: 24 cm

---

## LADAKH



4655 UV: 99% G<sub>TOT</sub>: 5.91% RAPPOR: 24 cm

---


## FJORD



4644 UV: 99% G<sub>TOT</sub>: 7.8% RAPPOR: 24 cm

---

## NAMIB



4640 UV: 99% G<sub>TOT</sub>: 5.04% RAPPOR: 24 cm

---

## VULCANO




4665 UV: 99% G<sub>TOT</sub>: 5% RAPPOR: 24 cm

---

# LANDSCAPE MINI

ACRYLIC FABRICS

## CLAY



4627 UV: 99% G<sub>TOT</sub>: 11.3% RAPPORTE: 2 cm

---


## SAND



4620 UV: 99% G<sub>TOT</sub>: 11.4% RAPPORTE: 2 cm

---

## GRAVEL



4621 UV: 99% G<sub>TOT</sub>: 8.1% RAPPORTE: 2 cm

---

# ORCHESTRA


ACRYLIC FABRICS

## NAPLES LINEN




**D307** UV: 95% G<sub>TOT</sub>: 13% RAPPORT: 20 cm

## NAPLES HEATHER




**D305** UV: 90% G<sub>TOT</sub>: 11% RAPPORT: 20 cm

## NAPLES LIGHT GREY




**D304** UV: 90% G<sub>TOT</sub>: 11% RAPPORT: 20 cm

## NAPLES STONE




**D113** UV: 95% G<sub>TOT</sub>: 7% RAPPORT: 20 cm

## PENCIL YELLOW



**D323** UV: 95% G<sub>TOT</sub>: 13% RAPPORT: 30 cm

## PENCIL DARK GREY




**D319** UV: 100% G<sub>TOT</sub>: 8% RAPPORT: 30 cm

# URBAN

ACRYLIC FABRICS


## CANDLELIGHT



**0990** UV: 99% G<sub>TOT</sub>: 14% RAPPOR: 6 cm

---


## CONCRETE



**0993** UV: 99% G<sub>TOT</sub>: 10.8% RAPPOR: 6 cm

---

## TIMBER




**0992** UV: 99% G<sub>TOT</sub>: 9.6% RAPPOR: 6 cm

---

# CLASSICAL


ACRYLIC FABRICS

## CLASSICAL GRIS




2103 UV: 97% G<sub>TOT</sub>: 16% RAPPORT: 20 cm

## CLASSICAL AMARILLO




2015 UV: 97% G<sub>TOT</sub>: 15% RAPPORT: 20 cm

## CLASSICAL MOSSY TWEED




9878 UV: 98% G<sub>TOT</sub>: 15% RAPPORT: 20 cm

## CLASSICAL BEIGE




2275 UV: 98% G<sub>TOT</sub>: 14% RAPPORT: 20 cm

## CLASSICAL MARRON-BEIGE



2148 UV: 99% G<sub>TOT</sub>: 9% RAPPORT: 20 cm

## CLASICAL NEGRO




2171 UV: 99% G<sub>TOT</sub>: 6% RAPPORT: 20 cm

# FANTASY


ACRYLIC FABRICS

## MILANO




3868 UV: 95% G<sub>TOT</sub>: 22% RAPPORT: 30 cm

## CALGARY




6712 UV: 95% G<sub>TOT</sub>: 16% RAPPORT: 30 cm

## SUNRISE




0180 UV: 99% G<sub>TOT</sub>: 14.73% RAPPORT: 30 cm

## PALERMO




3605 UV: 90% G<sub>TOT</sub>: 21% RAPPORT: 17 cm

## ARGENTINA




2016 UV: 98% G<sub>TOT</sub>: 15% RAPPORT: 30 cm

## CANBERRA




0452 UV: 98.75% G<sub>TOT</sub>: 15.51% RAPPORT: 24 cm

## DAKAR



2080 UV: 98% G<sub>TOT</sub>: 15% RAPPORT: 40 cm

## SALERNO



3861 UV: 90% G<sub>TOT</sub>: 20% RAPPORT: 30 cm


## ALBERTA



5106 UV: 98% G<sub>TOT</sub>: 15% RAPPORT: 30 cm

---


## MANCHESTER



2823 UV: 98% G<sub>TOT</sub>: 8% RAPPORT: 24 cm

---


## HARDELOT NATURE



8935 UV: 95% G<sub>TOT</sub>: 14% RAPPORT: 30 cm

---


## SIENNE NATURE



D100 UV: 95% G<sub>TOT</sub>: 14% RAPPORT: 30 cm

---


## TEXAS



2238 UV: 98% G<sub>TOT</sub>: 13% RAPPORT: 30 cm

---


## PERU



2201 UV: 98% G<sub>TOT</sub>: 14% RAPPORT: 30 cm

---


## ANDRIA



3881 UV: 95% G<sub>TOT</sub>: 18% RAPPORT: 30 cm

---


## MARTE



2121 UV: 99% G<sub>TOT</sub>: 11% RAPPORT: 24 cm

---


## BOLOGNA



3427 UV: 90% G<sub>TOT</sub>: 22% RAPPORT: 20 cm

---


## JAMAICA



2701 UV: 98% G<sub>TOT</sub>: 14% RAPPORT: 30 cm


---

## BRISBANE




0186 UV: 98.1% G<sub>TOT</sub>: 10.26% RAPPOR: 24 cm

## EDMONTON



6711 UV: 98% G<sub>TOT</sub>: 13% RAPPOR: 30 cm

## WINTONE



0734 UV: 97.5% G<sub>TOT</sub>: 12.39% RAPPOR: 24 cm

## FOGGIA




3864 UV: 95% G<sub>TOT</sub>: 18% RAPPOR: 30 cm

## BROKEN HILL




0497 UV: 95% G<sub>TOT</sub>: 16% RAPPOR: 30 cm

## NEW YORK



2174 UV: 98% G<sub>TOT</sub>: 14% RAPPOR: 30 cm

## METROPOLITAN



3608 UV: 99% G<sub>TOT</sub>: 7% RAPPOR: 30 cm

## GLADSTONE




0493 UV: 99% G<sub>TOT</sub>: 7.78% RAPPOR: 24 cm

## SIENNE STONE




8931 UV: 95% G<sub>TOT</sub>: 13% RAPPOR: 30 cm

## PLUTON



2179 UV: 99% G<sub>TOT</sub>: 10% RAPPOR: 24 cm


## RAVENNA



**3882** UV: 95% ГТОТ: 18% RAPPORT: 30 cm

---


## FIRENZE



**3889** UV: 90% ГТОТ: 20% RAPPORT: 30 cm

---

## MELBOURNE



**0054** UV: 99% ГТОТ: 11.74% RAPPORT: 24 cm

---


## ORLANDO



**2191** UV: 98% ГТОТ: 11% RAPPORT: 30 cm

---

## CANADA



**2061** UV: 99% ГТОТ: 8% RAPPORT: 30 cm

---

## PADOVA




**3875** UV: 95% ГТОТ: 17% RAPPORT: 30 cm

---

# FABRIC RAPPORT

ACRYLIC FABRICS



Multiply repeated pattern of fabric, expressed in cm and given in the chart.